

# **Writing Advanced Geoprocessing Scripts Using Python**

Copyright © 2006 ESRI

All rights reserved.

Course version 1.2. Revised November 2006.

Printed in the United States of America.

The information contained in this document is the exclusive property of ESRI. This work is protected under United States copyright law and other international copyright treaties and conventions. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system, except as expressly permitted in writing by ESRI. All requests should be sent to Attention: Contracts and Legal Services Manager, ESRI, 380 New York Street, Redlands, CA 92373-8100, USA

The information contained in this document is subject to change without notice.

### **U. S. GOVERNMENT RESTRICTED/LIMITED RIGHTS**

Any software, documentation, and/or data delivered hereunder is subject to the terms of the License Agreement. In no event shall the U.S. Government acquire greater than RESTRICTED/LIMITED RIGHTS. At a minimum, use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in FAR 52.227-14 Alternates I, II, and III (JUN 1987); FAR 52.227-19 (JUN 1987) and/or FAR 12.211/12.212 (Commercial Technical Data/Computer Software); and DFARS 252.227-7015 (NOV 1995) (Technical Data) and/or DFARS 227.7202 (Computer Software), as applicable. Contractor/Manufacturer is ESRI, 380 New York Street, Redlands, CA 92373-8100, USA.

@esri.com, 3D Analyst, ADF, AML, ARC/INFO, ArcAtlas, ArcCAD, ArcCatalog, ArcCOGO, ArcData, ArcDoc, ArcEdit, ArcEditor, ArcEurope, ArcExplorer, ArcExpress, ArcFM, ArcGIS, ArcGlobe, ArcGrid, ArcIMS, ArcInfo Librarian, ArcInfo, ArcInfo-Professional GIS, ArcInfo-The World's GIS, ArcLocation, ArcLogistics, ArcMap, ArcNetwork, ArcNews, ArcObjects, ArcOpen, ArcPad, ArcPlot, ArcPress, ArcQuest, ArcReader, ArcScan, ArcScene, ArcSchool, ArcSDE, ArcSdl, ArcStorm, ArcSurvey, ArcTIN, ArcToolbox, ArcTools, ArcUSA, ArcUser, ArcView, ArcVoyager, ArcWatch, ArcWeb, ArcWorld, Atlas GIS, AtlasWare, Avenue, BusinessMAP, Database Integrator, DBI Kit, ESRI, ESRI-Team GIS, ESRI-The GIS Company, ESRI-The GIS People, FormEdit, Geographic Design System, Geography Matters, Geography Network, GIS by ESRI, GIS Day, GIS for Everyone, GISData Server, InsiteMAP, JTX, MapBeans, MapCaf, MapObjects, ModelBuilder, MOLE, NetEngine, PC ARC/INFO, PC ARCPLOT, PC ARCSHELL, PC DATA CONVERSION, PC STARTER KIT, PC TABLES, PC ARCEDIT, PC NETWORK, PC OVERLAY, PLTS, Rent-a-Tech, RouteMAP, SDE, SML, Spatial Database Engine, StreetEditor, StreetMap, TABLES, the ARC/INFO logo, the ArcCAD logo, the ArcCAD WorkBench logo, the ArcCOGO logo, the ArcData logo, the ArcData Online logo, the ArcEdit logo, the ArcExplorer logo, the ArcExpress logo, the ArcFM logo, the ArcFM Viewer logo, the ArcGIS logo, the ArcGrid logo, the ArcIMS logo, the ArcInfo logo, the ArcLogistics Route logo, the ArcNetwork logo, the ArcPad logo, the ArcPlot logo, the ArcPress for ArcView logo, the ArcPress logo, the ArcScan logo, the ArcScene logo, the ArcSDE CAD Client logo, the ArcSDE logo, the ArcStorm logo, the ArcTIN logo, the ArcTools logo, the ArcView 3D Analyst logo, the ArcView Business Analyst logo, the ArcView Data Publisher logo, the ArcView GIS logo, the ArcView Image Analysis logo, the ArcView Internet Map Server logo, the ArcView logo, the ArcView Network Analyst logo, the ArcView Spatial Analyst logo, the ArcView StreetMap 2000 logo, the ArcView StreetMap logo, the ArcView Tracking Analyst logo, the Atlas GIS logo, the Avenue logo, the BusinessMAP logo, the Data Automation Kit logo, the ESRI ArcAtlas Data logo, the ESRI ArcEurope Data logo, the ESRI ArcScene Data logo, the ESRI ArcUSA Data logo, the ESRI ArcWorld Data logo, the ESRI Digital Chart of the World Data logo, the ESRI globe logo, the ESRI Press logo, the Geography Network logo, the MapCaf logo, the MapObjects Internet Map Server logo, the MapObjects logo, the MOLE logo, the NetEngine logo, the PC ARC/INFO logo, the Production Line Tool Set logo, the RouteMAP IMS logo, the RouteMAP logo, the SDE logo, The World's Leading Desktop GIS, Water Writes, www.esri.com, www.geographynetwork.com, www.gisday.com, and Your Personal Geographic Information System are trademarks, registered trademarks, or service marks of ESRI in the United States, the European Community, or certain other jurisdictions.

Other companies and products mentioned herein are trademarks or registered trademarks of their respective trademark owners.

# C O N T E N T S

|          |                                                                |      |
|----------|----------------------------------------------------------------|------|
| <b>1</b> | <i>Introduction</i>                                            |      |
|          | Welcome to Writing Advanced Geoprocessing Scripts Using Python | 1-1  |
|          | Course objectives                                              | 1-2  |
|          | Course content                                                 | 1-3  |
|          | Course materials                                               | 1-4  |
|          | Additional materials and resources                             | 1-5  |
|          | ESRI Support Center                                            | 1-6  |
|          | ESRI Developer Network                                         | 1-7  |
|          | ArcGIS: a complete GIS                                         | 1-8  |
|          | Logistics                                                      | 1-9  |
|          | Introductions                                                  | 1-10 |
|          | What you should already know                                   | 1-11 |
|          | Geoprocessor Programming Model                                 | 1-12 |
|          | Creating the geoprocessor                                      | 1-13 |
|          | Exercise goals                                                 | 1-14 |
| <b>2</b> | <i>String manipulation and text files</i>                      |      |
|          | String manipulation and text files                             | 2-1  |
|          | Learning objectives                                            | 2-2  |
|          | What you should already know about strings                     | 2-3  |
|          | Manipulating strings                                           | 2-4  |
|          | Changing the contents of a string                              | 2-5  |
|          | Changing the contents of a string (cont')                      | 2-6  |
|          | Writing to a text file                                         | 2-7  |
|          | Code example: Write to a text file                             | 2-8  |
|          | Code example: Conditionally write to a text file               | 2-9  |
|          | Reading a text file                                            | 2-10 |
|          | Code example: Read a text file                                 | 2-11 |
|          | Exercise goals                                                 | 2-12 |
|          | Review                                                         | 2-13 |
| <b>3</b> | <i>Working with lists and dictionaries</i>                     |      |
|          | Working with lists and dictionaries                            | 3-1  |
|          | Learning objectives                                            | 3-2  |
|          | What you should already know about lists                       | 3-3  |
|          | What you can do with lists                                     | 3-4  |
|          | Adding items to a list                                         | 3-5  |
|          | Finding number of items in a list                              | 3-6  |
|          | Python dictionaries                                            | 3-7  |
|          | What you can do with dictionaries                              | 3-8  |

|                                                          |      |
|----------------------------------------------------------|------|
| Accessing a dictionary sequentially                      | 3-9  |
| Code example: Access a dictionary                        | 3-10 |
| Exercise goals                                           | 3-11 |
| Review                                                   | 3-12 |
| <b>4</b> <i>Key modules and functions</i>                |      |
| Key modules and functions                                | 4-1  |
| Learning objectives                                      | 4-2  |
| Python built-in modules                                  | 4-3  |
| Getting help                                             | 4-4  |
| Controlling the termination of your script               | 4-5  |
| Working with data                                        | 4-6  |
| Manipulating strings                                     | 4-7  |
| Creating a random selection                              | 4-8  |
| Determining elapsed time                                 | 4-9  |
| Where to learn more                                      | 4-10 |
| Exercise goals                                           | 4-11 |
| Review                                                   | 4-12 |
| <b>5</b> <i>Getting started with the Geometry object</i> |      |
| Getting started with the Geometry object                 | 5-1  |
| Learning objectives                                      | 5-2  |
| Accessing the Geometry object (review)                   | 5-3  |
| Accessing the geometry of a feature                      | 5-4  |
| The Geometry object                                      | 5-5  |
| Accessing the geometric center of a feature              | 5-6  |
| Accessing the center of gravity of a feature             | 5-7  |
| Accessing the first/last coordinates of a feature        | 5-8  |
| Managing a large number of coordinates                   | 5-9  |
| Exercise goals                                           | 5-10 |
| Review                                                   | 5-11 |
| <b>6</b> <i>Creating geometries</i>                      |      |
| Creating geometries                                      | 6-1  |
| Learning objectives                                      | 6-2  |
| The Point object                                         | 6-3  |
| Code example: Create point features                      | 6-4  |
| Accessing a point feature (its properties)               | 6-5  |
| The Array object                                         | 6-6  |
| Code example: Create line features                       | 6-7  |
| Code example: Create polygon features                    | 6-8  |
| Code example: Get part of a line feature                 | 6-9  |
| Features with multiple parts                             | 6-10 |

|                                                    |      |
|----------------------------------------------------|------|
| Code example: Work with multiple parts             | 6-11 |
| Working with source data                           | 6-12 |
| Code example: Create features from points          | 6-13 |
| Exercise goals                                     | 6-14 |
| Review                                             | 6-15 |
| <b>7</b> <i>Working with subsets of data</i>       |      |
| Working with subsets of data                       | 7-1  |
| Learning objectives                                | 7-2  |
| Creating subsets                                   | 7-3  |
| Feature class versus feature layer                 | 7-4  |
| Table versus table view                            | 7-5  |
| Making feature layers and table views              | 7-6  |
| Creating a subset of fields in a script            | 7-7  |
| Code example: Create a subset of fields            | 7-8  |
| Creating a subset of records in a script           | 7-9  |
| Selecting by attributes                            | 7-10 |
| Selecting by location                              | 7-11 |
| Code example: Select and copy features             | 7-12 |
| SQL expressions                                    | 7-13 |
| Code example: Use a dynamic SQL expression         | 7-14 |
| Passing a subset into a cursor                     | 7-15 |
| Creating a permanent subset                        | 7-16 |
| Exercise goals                                     | 7-17 |
| Review                                             | 7-18 |
| <b>8</b> <i>Working with table and field names</i> |      |
| Working with table and field names                 | 8-1  |
| Learning objectives                                | 8-2  |
| Invalid names                                      | 8-3  |
| Validating table names                             | 8-4  |
| Code example: Validate a table name                | 8-5  |
| Validating field names                             | 8-6  |
| Code example: Validate a field name                | 8-7  |
| Determining the uniqueness of a table              | 8-8  |
| Determining the uniqueness of a field              | 8-9  |
| Determining fully qualified names                  | 8-10 |
| Exercise goals                                     | 8-11 |
| Review                                             | 8-12 |
| Working with table and field names in SDE          | 8-13 |
| Catalog tree examples                              | 8-14 |
| Qualifying table names in SDE geodatabases         | 8-15 |
| Code example: Qualify a table name                 | 8-16 |
| Code example: Qualify a table name and merge       | 8-17 |

|                                                                            |       |
|----------------------------------------------------------------------------|-------|
| Qualifying field names                                                     | 8-18  |
| Code example: Qualify a field name                                         | 8-19  |
| Parsing table names                                                        | 8-20  |
| Code example: Parse a table name                                           | 8-21  |
| Parsing field names                                                        | 8-22  |
| <b>9</b> <i>Managing data with ValueTable and SpatialReference objects</i> |       |
| Managing data with ValueTable and SpatialReference objects                 | 9-1   |
| Learning objectives                                                        | 9-2   |
| Tools that accept multiple inputs                                          | 9-3   |
| The ValueTable object                                                      | 9-4   |
| Code example: Create a value table                                         | 9-5   |
| The SpatialReference object                                                | 9-6   |
| Finding the spatial reference                                              | 9-7   |
| FactoryCode property                                                       | 9-8   |
| Code example: Describe a spatial reference                                 | 9-9   |
| Code examples: Use a spatial reference                                     | 9-10  |
| Exercise goals                                                             | 9-11  |
| Review                                                                     | 9-12  |
| <b>10</b> <i>Creating custom functions</i>                                 |       |
| Creating custom functions                                                  | 10-1  |
| Learning objectives                                                        | 10-2  |
| Python modules                                                             | 10-3  |
| Writing custom functions                                                   | 10-4  |
| Creating a module                                                          | 10-5  |
| Activity: Which names are valid?                                           | 10-6  |
| Writing a function                                                         | 10-7  |
| Code examples: Custom functions                                            | 10-8  |
| Using variables                                                            | 10-9  |
| Importing a custom module                                                  | 10-10 |
| Finding the module                                                         | 10-11 |
| Adding a custom search path                                                | 10-12 |
| Compiling the module                                                       | 10-13 |
| Reloading a module in a single Python session                              | 10-14 |
| Running the module                                                         | 10-15 |
| Exercise goals                                                             | 10-16 |
| Review                                                                     | 10-17 |
| <b>11</b> <i>Managing custom Python script tools</i>                       |       |
| Managing custom Python script tools                                        | 11-1  |
| Learning objectives                                                        | 11-2  |
| Considerations for creating script tools                                   | 11-3  |

|                                                                 |       |
|-----------------------------------------------------------------|-------|
| Organizing your script tools                                    | 11-4  |
| Understanding program flow                                      | 11-5  |
| Example: Spatial Statistics Toolbox                             | 11-6  |
| Ways of importing                                               | 11-7  |
| Code order                                                      | 11-8  |
| Controlling access to functions and variables                   | 11-9  |
| Code example: Control access                                    | 11-10 |
| Exercise 11A: Find code in common activity                      | 11-11 |
| Exercise goals                                                  | 11-12 |
| Review                                                          | 11-13 |
| <br>                                                            |       |
| <b>12</b> <i>Iterating with models</i>                          |       |
| Iterating with models                                           | 12-1  |
| Learning objectives                                             | 12-2  |
| Why use ModelBuilder?                                           | 12-3  |
| What you should already know about models                       | 12-4  |
| Using variables in models                                       | 12-5  |
| Looping through data                                            | 12-6  |
| Tools that require feature layer input                          | 12-7  |
| Exporting to a script                                           | 12-8  |
| Exercise goals                                                  | 12-9  |
| Review                                                          | 12-10 |
| <br>                                                            |       |
| <b>13</b> <i>Making decisions with Python scripts in models</i> |       |
| Making decisions with Python scripts in models                  | 13-1  |
| Learning objectives                                             | 13-2  |
| Making a decision in a model                                    | 13-3  |
| Understanding how branching works                               | 13-4  |
| Code example: Test if a field exists                            | 13-5  |
| Integrating a script in a model                                 | 13-6  |
| Code example: Test if a field exists                            | 13-7  |
| Code example: Test if a field exists (cont')                    | 13-8  |
| Code example: Test if a field exists (cont')                    | 13-9  |
| Adding output parameters                                        | 13-10 |
| Controlling the flow in a model                                 | 13-11 |
| Incomplete derived data                                         | 13-12 |
| Exercise goals                                                  | 13-13 |
| Review                                                          | 13-14 |
| <br>                                                            |       |
| <b>14</b> <i>Calling the geoprocessor from VBA</i>              |       |
| Calling the geoprocessor from VBA                               | 14-1  |
| Learning objectives                                             | 14-2  |
| Accessing the geoprocessor                                      | 14-3  |